

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	PLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/846,714	/846,714 05/01/2001		Timothy G. Caudle	D-43260-04	5247	
28236	7590	11/23/2005		EXAMINER		
CRYOVA	C, INC.		PASCUA, JES F			
SEALED AIR CORP P.O. BOX 464				ART UNIT	PAPER NUMBER	
DUNCAN, SC 29334				3727		
				DATE MAILED: 11/23/200	DATE MAILED: 11/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.





Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.uspto.gov

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

MAILED

Application Number: 09/846,714

Filing Date: May 01, 2001

Appellant(s): CAUDLE, TIMOTHY G.

NOV 2 3 2005

Group 3700

Mark B. Quatt For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 10/14/2005 appealing from the Office action mailed 05/20/2005.

Art Unit: 3727

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

GB 303,593

CAMPBELL

01-1929

4,688,572

HUBBARD et al.

08-1987

Art Unit: 3727

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

Page 3

Claim 50 is rejected under 35 U.S.C. 103(a) as being unpatentable over Campbell and Hubbard et al.

Campbell discloses the claimed device except it is unclear if the opposing lateral edges comprise heat seals. Hubbard et al. discloses that it is known in the art to form analogous bladders from two flat sheets heat sealed together along their outer peripheral edges. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the hot water bottles of Campbell by heat sealing two flat sheets together along their outer peripheral edges, as in Hubbard et al., in order to provide a hot water bottle that is leak-proof/leak-resistant along its edges. Furthermore, applicant has not disclosed that heat-sealing along lateral edges of a bag solves any stated problem or is for any particular purpose and it appears that the Campbell invention would perform equally well with heat seals along its edges.

Furthermore, the edges extending from the left and right side of the funnel-like portion in Campbell comprise a substantially S-shape to the same degree as claimed.

(10) Response to Argument

In response to appellant's argument that there is no suggestion to combine the Campbell and Hubbard et al. references, the Examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one

Application/Control Number: 09/846,714

Art Unit: 3727

of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Hubbard et al. teaches that it is known in the art of bladders (i.e. hot water bottles) to form the bladder by heat sealing together two flat sheets along their outer peripheral edges. Therefore the Examiner maintains that it would have been obvious to one having ordinary skill in the art at the time the invention was made to provide the hot water bottles of Campbell by heat sealing two flat sheets together along their outer peripheral edges, as in Hubbard et al., in order to provide a hot water bottle that is leak-proof/leak-resistant along its edges.

Appellant's remarks are silent with respect to the Examiner's statement that it has not been disclosed that heat-sealing along lateral edges of a bag solves any stated problem or is for any particular purpose and it appears that the Campbell invention would perform equally well with heat seals along its edges.

Regarding appellant's argument that Campbell does not show first and second lateral edges both substantially S-shaped, the Examiner maintains that the left and right side of the funnel-like portion in Campbell comprise a substantially S-shape. The terms "comprise" and "substantially" in applicant's claims do not preclude the shapes or lines that are adjacent to S-shapes in Campbell to the form the hot water bottles into particular configurations.

(11) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.

Art Unit: 3727

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

Jes F. Pascua

Primary Examiner

Conferees:

Nathan J. Newhouse, Supervisory Patent Examiner

Robin A. Hylton, Primary Examiner

SPECIFICATION



South militar wife in the

Complete Laft: July 24, 1928

Complete Accepted : Jan. 10, 1929.

· PROVISIONAL SPECIFICATION.

Improvements in or relating to Hot Water Bottles or the like

We, Campbell, Achnach and Company Liberton, a British company, and David Christis Campbell, a British subject, both of 59, Wallace Street, Glasgow, C.5, do hereby declare the nature of this invention to be as follows:—

This invention companies

This invention comprises improvements in or relating to hot water bottles or the , like and is concerned more particularly articles whereby they are made to resemble or suggest other objects such for instance as animals or nursery figures familiar to children or any other object.

The invention also embraces the profision on het water bottles of suitable markings which may be of contrasting which may be raised, reinforced, suitable parts may be raised, reinforced, contrast or ribbed and such raised surfaces may be contrast with the cheral colour of the hot water bottle. 10 with the shape or configuration of such thach markings or contrasts or raised or like surfaces whether used separately to combination may be so arranged as mean constitute decorative or figurative ment is, which may or may not be suppleas all il to a special shape or configuration
The eady referred to.

the pi object of the present invention is by rea, vision of hot water bottles which, or of a mi of a distinctive or striking shape shape suggestive of an object con-

genial or i miliar shall be more attractive ... to the purchaser and thereby facilitate, 35 its sale.

Accordingly an embodiment of the invention consists in a hot water bottle having its incumferential edge shaped to resemble a suggest the outline of a pet 40 such as a wiblit or bird as may be seen in silhouette. Where the hot water bottle is of a light coloured rubber, markings are and the provided i . a dark colour to indicate, say, the eye and any other prominent features or shade li ... in order to imply the representation . the side view of the animal or the like and the circumferential edge of the like and the like an may be 'or fined in a corresponding dark colour.

colour.

In the use where the outline of an animal or like includes comparatively narrow posting parts, it may be preferable to exclude auch parts from containing he water etc. This may be provided for a the construction of the hot water bottle or the like by carrying the seem of the holl water compartment across seam of the hol, water compartment across the base of such projecting parts.

It is a vious that an infinite variety of constructions may be employed without departing from the nature of the invention

Dated this 21st day of October, 1927. H. K. TURNER, So cutor for the Applicants.

COMPLETE SPECIFICATION.

Imp rovements in or relating to Hot Water Bottles or the like.

We, CAMP PHELL, ACHNACH AND COMPANY priceles whereby they are made to the other of British company, and DAVID rescrible in suggest other objects such for the other objects such for the other objects such for the other objects. both of 59 AMPDELL, a British subject, Wallace Street. Glasgow, invention at eby declare the nature of this 70 is to be pud in what manner the same described a performed, to be particularly following stud ascertained in and by the

Tollowing statement:

This invertatement:

In or relatination comprises improvements

To like and is to hot water hottles or the

with the sharconearned more particularly

[Price 1/2 e or configuration of such

animals or nursery figures instance familiar to children or any other object.

The intention also embraces the provision of not water bottles of suitable marking which may be of contrasting colours, which may be raised, reinforced, or ribbed and such raised surfaces may be coloured or made to contrast with the general adour of the hot water bottle. Such me sings or contrasts or raised or

BEST AVAILABLE COPY

the like surfaces whether used separately or in combination may be so arranged as to book titute decorative or figurative

means, which may or may not be supple-5 mental to a special shape or configuration

as already referred to.

The object of the present invention is the provision of hot water bottles which, by reason of a distinctive or striking shape 10 or of a shape suggestive of an object conregenial or familiar shall be more attractive. to the purchaser and thereby facilitate

its sale.

The present invention is concerned with 15 the modification of the usual shape of a complete hot water bottle whereby the latter in itself has the adequate resemblance of the object represented without having additional parts or members 20 attached thereto as opposed to any construction previously proposed such as "a hot water doll" wherein the body alone inof the doll is constructed so as to contain hot water while to complete the doll, the 25 head and/or arms and legs are affixed or attached to the body.

According to this invention a hot water bottle is of a particular shape or con-

objects.

An embodiment of the invention consists in a hot water bottle having its peripheral edge shaped to resemble or suggest the outline of a pet such as a rabbit or bird as may be seen in silhouette.
40 Where the hot water bottle is of a light coloured rubber markings are provided on a dark colour to indicate, say, the eye and any other prominent features or shade lines in order to imply the representation 45 of the side view of the animal or the like and the circumferential edge may be outlined in a corresponding dark colour.

In order that the invention may be more clearly understood and readily carried 50 into practical effect reference is made in further describing the same to the accomponying drawings wherein:-

Figs. 1 to 6 each show, in front and edge view, hot water bottles constructed 55 in accordance with this invention. Referring to the drawings the hot water bottle 1 has a peripheral edge 2 preferably of a different colour or shade of colour to that of the remainder of the 60 bottle, such peripheral edge being constituted by the binding of the bottle.

Other markings 3 such as may represent features or limbs, or shade lines may be provided by pieces of rubber preferably. of a colour or shade similar to, or out of standing in a similar manner as that of the the edge 2 and distinct from that of the remainder of the bottle, and sourced there to in any suitable manner. Such markings may be on one or both sides of the gottle bottle. ..

In the case where the outline of an animal or the like includes comparatively. narrow projecting parts, it may be preferable to exclude such purts from containing hot water etc. This may be provided for in the construction of the hot water bottle or the like by carrying the sam of the hot water compartment across the base of such projecting parts.

It is obvious than an infinite variety of constructions may be employed without departing from the nature of the inven-

Having now particularly described and 85 ascertained the nature of our said invention and in what manner the same is to be performed, we declare that what we claim is :—

bottle is of a particular shape or configuration, with or without markings thereon, substantially the whole of the particular shape or configuration and with article being arranged to contain hot or without markings thereon, substantially water and calculated to resemble or suggest animals or nursery figures or similar contain hot water and calculated to resemble or suggest animals or nursery figures or similar objects substantially and accorded to the invention configures or similar objects substantially and accorded to the invention configures or similar objects substantially accorded to the invention configures or similar objects substantially accorded to the invention configures or similar objects substantially accorded to the invention configures or similar objects substantially accorded to the invention configures or similar objects. described.

2. A hot water bottle or the like according to Claim 1, said special shape of the figuration being constituted by the or peripheral edge of the hot water bot out the like conforming to the silhouett. line of the object represented.

line of the object represented.

3. A hot water bottle or the like me the 405 ing to either of the preceding classed by peripheral edge whereof is emphabhade to it being of a different colour or parta of that of the remainder or other the hot water bottle or the likeke school.

4. A hot water bottle or the likeke school.

ing to any of the preceding of or limbs markings representing feeling had lines of the object or constituting for a shede and being of a different collities parts of to that of the remainder or of the the total of the patts of the hot water bottle or the lights substantial.

5. A hot water bottle or the kenne to the tially as described with refer


accompanying drawings. July, 1928.

Dated the 23rd day of July, 1928.

H. K. TURNER cants.

Solicitor for the Appl


Redhill; Printed for His Majesty's Stationery Office, by Love & Malcomson,




P.04

المرد بروس

4J 241



BEST AVAILABLE COPY



United States Patent [19]

Hubbard et al.

[11] Patent Number:

4,688,572

[45] Date of Patent:

Aug. 25, 1987

[54]	MEDICAL	MEDICAL/SPORTS THERMAL PACK						
[75]	Inventors:	Vance M. Hubbard; Welton K. Brunson; Darrell S. Caldwell, all of Bedford, Tex.						
[73]	Assignee:	Tecnol, Inc., Fort Worth, Tex.						
[21]	Appl. No.:	819,999						
[22]	Filed:	Jan. 21, 1986						
[51] [52]								
[58]		arch 128/156, 402, 403, 379, 380, 381, 382; 62/259.3, 530; 126/204; 383/901						
[56]		References Cited						
U.S. PATENT DOCUMENTS								
	3,092,110 6/1 3,409,008 11/1 3,491,761 1/1	968 Mortensen et al						

3,610,307 10/1971 Huff et al. 383/901 X


4,204,543	5/1980	Henderson 13	28/403 X
4,527,566	7/1985	Abare	128/402
4,585,003	4/1986	Meistrell	128/402


Primary Examiner—Anton O. Oechsle Attorney, Agent, or Firm—Jerry W. Mills; Roger N. Chauza


[57] ABSTRACT

A thermal pack having a first pocket (12) and a second pocket (28) connected together by a stretchable material section (22), and therapeutic material holding bladders (14, 30) insertable into respective pockets. A pair of stretchable and Velcro-equipped straps (16, 18) attached to one pocket (28) are engagable with a brushed pile surface (20) of the other pocket (12). The pockets (12, 28) are constructed having a liner (34) for wicking to the outer surface moisture condensed on the bladders (14, 30), and constructed having a durable nonstretchable outer layer (32, 42).

20 Claims, 6 Drawing Figures







MEDICAL/SPORTS THERMAL PACK

TECHNICAL FIELD OF THE INVENTION

The present invention relates generally to therapeutic limb treatment apparatus, and particularly to apparatus wrappable around a limb for the treatment of or the prevention of injury thereto.

BACKGROUND OF THE INVENTION

With the current popularity of health and fitness there is an increased emphasis on exercising by the normal person. In the sports and athletic field, exercissional area the care and treatment of athletes are becoming highly important. One area of concern which covers the private person, as well as the amateur and professional athlete is the protection of muscles from strain or cramping, or the treatment of muscles after an injury 20 has occurred.

It is well known that for proper care and treatment, muscle tissues should be heated in certain circumstances and chilled in others. For example, before strenuous exercise, those muscles which tend to cramp should be 25 heated to enrich the blood supply to the appropriate areas. On the other hand, sprained or strained muscle tissues should be chilled to reduce swelling and further damage. Before encountering strenuous exercise, it is not uncommon for persons to warm and limber muscles 30 in a whirlpool of hot water. The problem with this approach is that more muscles are affected than need be, and the deadening effect of hot water tends to desensitize all the muscles immersed in the hot water.

Ice packs of various forms are well known in the 35 medical art and are commonly applied to sprained or otherwise injured limbs. With knee injuries such as caused by hyperextension, or after knee surgery, the alternate application of hot and cold material to the joint is a regular practice. However, it has recently been recognized that since there is very little blood flow through the kneecap, or patella, the alternate hot and cold treatment thereto should be avoided. Most previously developed ice packs include a pouch for holding 45 ice, and a strap, or pair of straps, for holding the pouch in contact with the muscles involved. While this approach may work with an immobilized person, such as a hospitalized patient, these ice packs re not well adapted for quickly changing from hot to cold treat- 50 ments, nor for staying in place should the person move about or exercise. Moreover, such prior ice packs often provide undesirable temperature treatment to the patella while treating adjacent muscles.

Another problem common to many ice packs is the 55 condensation that forms as a result of temperature gradient between the inside and outside of the container. Condensed moisture creates an undesirable situation in that the pack tends to slide on the wounded limb, bandages or tape cannot adhere either to the wet limb or 60 pack, and the moisture tends to expand fabrics and loosen an otherwise firmly secured bandage or wrap. Any attempt to insulate the ice pack to reduce condensation only thwarts the transfer of coldness to the injured limb. Moisture impervious linings have also been 65 suggested, such as alluded to in U.S. Pat. No. 4,527,566. However, suitable moisture resistant materials are generally characterized as being somewhat insulating, or

become the mechanism for the formation of condensa-

There is therefore a need for a multicompartmented thermal pack adapted for heating or chilling limb muscles, and adapted for staying in position while exercising with or without temparature treatment. There is also an associated need for a thermal pack which reduces the undesirable effects of condensed moisture, 10 and which prevents undesirable temperature treatment of the patella when heating adjacent muscles.

SUMMARY OF THE INVENTION

The thermal pack according to the invention proing has always been essential. In the competitive profes- 15 vides the capability for applying a cold pack or a hot pack, or both, to various limb muscles. In addition, the thermal pack includes an elastic section, and adjustable elastic Velcro-covered straps for maintaining the pack in position once applied to a limb. Moreover, when used around the joint of a limb, the elastic section conforms around an elbow or knee, for example, and further eliminates any relative movement of the pack with respect to the limb.

> In the preferred embodiment of the invention, the thermal pack includes the first open-topped pocket and a second open-topped pocket joined by a unidirectional laterally expansible section. The first pocket has attached thereto, by elastic, a pair of fastening straps, each with Velcro-covered ends. The second pocket has an outer brushed pile surface covering for adjustable and removable engagement with the Velcro-covered straps. Each pocket is of a laminate fabric construction having durable outer coverings, and an inner moisture-wicking liner.

> The foregoing structure itself can be applied to a limb solely for support purposes. In addition, there is provided a pair of waterproof bladders insertable into the liners of respective pockets. The bladders have sealable openings adapted for holding heated or cooled material.

> In another embodiment of the invention, the bladders are integrally covered with a moisture-wicking fabric, whereby the corresponding pocket liners are eliminated and the construction thereof is simplified.

BRIEF DESCRIPTION OF THE DRAWINGS

Further features of the invention will be apparent from the following description of the invention when considered in conjunction with the drawings, in which:

FIG. 1 is a side elevational view of the thermal pack according to the invention, as applied around the knee joint of a wearer;

FIG. 2 is an elevational view of the thermal pack, illustrating one bladder removed therefrom;

FIG. 3a is an enlarged view of a portion of the unidirectional elastic section joining the pockets of the thermal pack;

FIG. 3b is an enlarged view of a portion of FIG. 3a, showing the fabric construction of the unidirectional panel;

FIG. 4 is an elevational view of the fabric-covered vinyl bladder, constructed according to an alternative embodiment of the invention; and

FIG. 5 is an enlarged view of a portion of FIG. 5, illustrating the construction of the moisture-wicking pocket liner material.

4

DETAILED DESCRIPTION OF THE INVENTION

The application of the present invention is best understood by first referring to FIG. 1 of the drawings. The 5 thermal ice pack, designated generally by 10, is well suited, but not limited to use round the jointed part of a person's limb, such as a knee or elbow. For illustrative purposes the thermal pack 10 is shown wrapped around the knee joint so that a hot or cold material, or both, can 10 be applied to opposing sides of the joint.

The thermal pack 10 includes a pocket 12 in which a bladder 14 is insertable and held firmly wrapped around the limb by a pair of fasteners 16 and 18. The fasteners 16 and 18 are adjustably and removably engagable with 15 an outside covering 20 of the pocket 12. A second pocket located on the other side of the knee, not shown in FIG. 1, is attached to the first pocket 12 by a unidirectional elastic section 22, which serves as a means for firmly wrapping the thermal pack 10 around the limb, 20 yet allowing the knee complete freedom of movement. The elastic section 22 is stretchable in the direction of the lines. When worn on a limb as shown in FIG. 1, the elastic section 22 permits the wearer to move about without the thermal pack 10 working or sliding down 25 the limb. In this manner, an athlete or hospital patient can move about freely without concern of the weight of the material in the bladders pulling the thermal pack 10 downwardly. In addition, the elastic section 22 prevents unnecessary temperature treatment of the patella while 30 providing temperature treatment to the adjacent mus-

· · cles.

In more detail, there is illustrated in FIG. 2 the details of the preferred embodiment constructed in accordance with the invention. The thermal pack 10 includes the 35 open-topped first pocket 12, as noted above, and a second open-topped pocket 28 for holding a corresponding second bladder 30. The dimensions of each pocket 12 and 28 are about nine inches wide and twelve inches high. The first pocket 12 includes the outer fabric cover 40 20 peripherally sewn about three sides thereof to an inner fabric cover 32. The terms inner and outer as used herein connote the relative position of the pocket coverings when wrapped around a limb, the inner cover being adjacent the limb. The outer fabric cover 20 is 45 constructed of a brushed-pile polyester material. The polyester material outer cover 20 allows air to move freely therethrough. The fabric inner cover 32 is constructed of a layer (not shown) of coarse woven durable polypropylene material. A coarse and loosely woven 50 polypropylene material provides a desirable covering as it is strong, but yet allows the permeation of air or moisture therethrough.

A pocket liner 34, comprising a moisture-wicking polyester-rayon-polyester heat seal bonded laminate, is 55 sewn between the inner and outer coverings 32 and 20. The synthetic laminate liner 34 is not a tight knit fabric, but is a thin layer heat seal bonded together at a matrix-of locations covering a small percent of the surface area thereof. FIG. 5 illustrates the contruction of the liner 60 material in more detail.

In outer cover 20 and inner cover 32 are stitched together around three corresponding edges thereof, as shown by dashed lines 36. The top edges of the moisture-wicking pocket liner 34 are sewn to the corresponding top edges of the outer cover 20 and inner cover 32, as shown by 38 and 40. The pocket 12 is thus open-topped for insertion thereinto of the bladder 14.

The bladder 14 is easily inserted or removed for replacement by other similar bags having fresh hot or cold material therein.

The second pocket 28 of the thermal pack 10 has identical inner (not shown) and outer 42 covers of coarse woven polypropylene material. As with pocket 12, pocket 28 includes between the inner and outer coverings 42 thereof a moisture-wicking pocket liner (not shown) with polyester-rayon-polyester fabric sides. The inner and outer covers 42 and the pocket liner of the second pocket 28 are peripherally attached at the sides and bottom by stitching 44. The corresponding top edges of the outer cover 42 and one side of the pocket liner are sewn by stitches 46. The upper edges of the inner cover and liner of pocket 28 are comparably sewn. The top of pocket 28 is thus open for insertion of the second bladder 30 into the liner, as shown.

Also stitched to the second pocket 28 are fastening straps 16 and 18. Each fastening strap 16 and 18 includes an elastic part 48 and 50, as well as Velcro hook material 52 and 54 stitched to the ends thereof. The conventionally available unidirectionally stretchable elastic material. The elastic parts 48 and 50 stretch outwardly away from the pocket edge to which the parts 48 and 50 are attached. The Velcro material 52 and 54, having the hook-like elements 56, is sewn to the elastic parts 48 and 50, as shown in FIG. 2. With this construction, when the thermal pack 10 is wrapped around a limb, as indicated by arrow 58, the hooks 56 are engagable at any location on the brushed-pile outer covering 20 of the first pocket 12.

It should thus be appreciated that the thermal pack 10 is adapted to fit around any size limb by appropriately engaging the hooks 56 of the separate Velcro ends 52 and 54 at desired lateral locations on the brushed pile surface of the first pocket outer cover 20. This is highly desirable if extensive limb swelling is encountered, as the individual fastening straps 16 and 18 can be independently and continually readjusted to maintain firm contact of the pack 10 with the limb, and yet allow circulation of blood through the limb. Indeed, one or both the straps can be adjusted, or can be placed in engagement on the pile surface 20 in a skewed or obliquely oriented manner. For large limbs, or excessively swollen limbs, the Velcro mterial ends 52 and 54 can be engaged near the outside edge of the brushedpile covering 20. In this manner there are no exposed Velcro hook elements in contact with the wearer's skin to cause irritation, as would be if the entire surface of the fastening straps 16 and 18 were covered with the Velcro hook material.

The placement and adjustment of the pockets 12 and 28 about a limb is further facilitated by the elastic section 22 which can be stretched to accommodate various sized limbs. In the preferred form of the invention, the first pocket 12 is spaced apart from the second pocket 28 and connected by a two inch wide unidirectionally stretchable elastic section 22. The elastic section 22 accommodates any limb protrusion, such as a wound or another bandage, or a joint, and thus permits conformance of the thermal pack 10 thereto. The ability of thermal pack 10 to conform to the shape of a limb also reduces the possibility of the pack slipping on the limb. This is highly important as the bladders 14 and 30 can hold a total of about six pounds of crushed ice.

In accordance with the preferred form of the invention, the elastic section 22 includes a plurality of monofilament nylon strands to prevent stretching in a direc-

is evaporated. This is advantageous, as any water formed from ice which may have inadvertently fallen

between the liner 84 and the vinyl 82 is transferred to the outside of the pack 10 where it is eventually evaporated. With this construction, the moisture is not transed within the peak 10.

trapped within the pack 10.

Further shown in FIG. 5 is an enlarged and delaminated section of the moisture-wicking liner material 92. A rayon fiber layer 94 is sandwiched between polyester layers 96 and 98. All three layers are bonded together by a matrix of heat seal bonds, shown by 100.

It should be understood that when the bladder 80 is used in connection with the thermal pack 10 shown in FIG. 2, the moisture-wicking pocket liners can be eliminated.

From the foregoing, it should be appreciated that the thermal pack can be equipped with hot or cold material within the bladder for appropriate treatments of limb muscles. The thermal pack is wrapped around the limb in such a fashion that the pockets contact the desired muscles to be treated. A moisture-wicking fabric is provided for isolating the wearer from condensation which may form on the bladders. Moreover, the bladders are removable from the pockets, whereby the thermal pack can be used as a support. In addition, the thermal pack is constructed so that it is adjustable about limbs of various sizes, and adapted for application around a limb joint. To that end, the thermal pack includes a unidirectional elastic section which readily conforms to limb curvature, and which prevents the pack from inadvertently sliding along the limb.

The preferred embodiments of the invention have been described above in detail. However, various modifications and additions to the thermal pack are undoubtedly possible by those skilled in the art without departing from the spirit and scope of the invention as claimed hereinbelow.

What is claimed is:

1. A thermal pack, comprising:

plural compartments each constructed of an inner and outer nonstretchable material to form a pocket; a pocket liner formed of a moisture-wicking material

and disposed within each said pocket for holding a therapeutic material against the body part of a user;

a pressure responsive fastening material disposed on a side surface of one said compartment;

elastic means disposed between and integrally connecting said compartments together for allowing said pack to expand in a direction for conforming around different body shapes; and

plural individual elastic fastening straps attached to another said compartment and engageable to said fastening material on said side surface of said one compartment for holding said pack wrapped around the body part of said user

2. The thermal pack of claim 1 wherein said elastic means is stretchable in only a single direction.

- thereof to form an integral construction. Of course, the vinyl layers are not heat sealed together at the mouth 88 60 fastening strap includes pressure responsive fastening of the bladder, but each layer of the liner fabric 84 is heat sealed 90 to the adjacent vinyl layer thereat.

 3. The thermal pack of claim 1 wherein each said fastening material engageable with said fastening material on the side surface of said one compartment.
 - 4. The thermal pack of claim 1 wherein each said compartment is open topped and includes a bladder containing said therapeutic material.
 - 5. The thermal pack of claim 4 wherein each said bladder is removable from a respective said compartment.

tion coaxial with the limb. The unidirectional stretchable elastic is best illustrated in FIGS. 3a and 3b. The monofilament nylon strands 60 comprise nylon 148 denier 5.5 mil. Covering the strands 60, and woven in the direction of the lines representing the section 22 in 5 FIGS. 1 and 2, are various filler and foundation synthetic yarns, and elastic materials. An elastic material 61 is woven with the nylon monofilament strands 60. The elastic material is a composite structure including a polyester spandex 377 denier material, and a textured 10 nylon type 6,6 70/34. Woven to provide body to the elastic section 22 are warp yarn textured nylon threads, type 6,6 2/100/34, designated by reference character 62. A third fabric strand 64 is woven together with strands 61 and 62, and is identified as a warp yarn tex- 15 tured nylon, type 6,6 2/70/34. Strand 64 operates to lock the nylon filament strands 60 in place. The pattern of these strands are repeated. Unidirectional material of the type described can be obtained from the George C. Moore Corp., P. O. Box 1634, Providence, R.I. 02903. 20 The elastic material 61, the warp yarn 62 and support strands 64 are woven around the nylon strands 60 in lateral panels 66 about one fourth inch wide. The nylon strands 60 are not densely packed and are exposed at areas 68. Thus, the tissue of the limb thereunder can be 25 visually examined through the stretched material without removing the thermal pack 10. In addition, the nylon strands 60 prevent the elastic section 22 from narrowing when stretched in a direction transverse to the strands 60.

The bladders 14 and 30 are identically constructed of a heavy gauge plastic, such as ten mil guage polyvinylchloride. Both bladders are insertable into their respective pockets, as shown by arrow 70 in FIG. 2. The bladder 14 is formed of two flat sheets of vinyl, heat 35 sealed 72 along the outer peripheral edges thereof, except at the mouth 74. The bladder 14 includes a neck 76 and the open mouth 74 through which the bladder 14 may be filled with hot or cold water, ice or other thermal material. The bladder neck 76 is sealed off by a 40 clamp 78 which pinches the neck 76 to provide a waterproof compartment within the bladder 14. The seal arrangement is more thoroughly described in U.S. Pat. No. 4,347,848, the disclosure of which is incorporated herein. Of course, other types of bladders and sealing 45 arrangements may be employed in connection with the thermal pack 10.

In FIGS. 4 and 5 there is illustrated another embodiment of a bladder 80 adapted for use with thermal pack 10 of the invention. Bladder 80 is constructed with the 50 same polyvinylchloride water-proof material 82 as bladder 14 shown in FIG. 2. In addition, bladder 80 has an external fabric covering 84 comprising a moisture-wicking material, such as a layered polyester-rayon-polyester composition. The external fabric covering 84 is 55 shown, for reasons of clarity, pulled back from the vinyl 82. The vinyl 82, together with the external fabric covering 84, is heat sealed 86 along the peripheral edges thereof to form an integral construction. Of course, the vinyl layers are not heat sealed together at the mouth 88 60 of the bladder, but each layer of the liner fabric 84 is heat sealed 90 to the adjacent vinyl layer thereat.

The composition of synthetic materials comprising the liners 34 (of FIG. 2) and 84 is not moisture absorbent, but rather exhibits a "wicking" characteristic by 65 carrying condensed moisture away from the bladder 14. Moisture which condenses on the bladder vinyl 82 is thus carried to the outer coverings of pack 10 where it

- 6. The thermal pack of claim 1 wherein said liner material comprises polyester and rayon.
- 7. The thermal pack of claim 1 wherein said pressure responsive fastening material on the side surface of said one compartment is in the form of an outer cover com- 5 prising a brushed pile material.
- 8. The thermal pack of claim 7 wherein said fastening straps comprise expandable straps with hook-like elements engagable with the outer cover of said one compartment.
- 9. The thermal pack of claim 8 wherein the hook-like elements are disposed only on the ends of said straps.
- 10. A thermal pack wrappable around a limb, comprising:
 - a first open-topped pocket having a nonstretchable 15 material defining an inside surface, a pile material defining an outside surface, said inside and outside surface being fastened together along three peripheral edges thereof;
 - a second open-topped pocket having a nonstretchable 20 material defining an inside surface being fastened together along three peripheral edges thereof;
 - a pocket liner formed of a moisture-wicking and air permeable material disposed within each pocket;
 - stretchable elastic means disposed between said pockets for connecting side edges of said first and second pockets together;
 - first and second bladders for holding thermal material and sized for insertion into respective ones of said pockets, and
 - a plurality of stretchable straps connected proximate a side edge of said second pocket, each strap including pressure responsive attachment means attached to the terminal end thereof for removable 35 engagement with said pile material of said first
- 11. The thermal pack of claim 10 wherein said stretchable elastic means extends along the entire side edge of each said pocket.
- 12. The thermal pack of claim 11 wherein said stretchable elastic means is stretchable in only a single direction transverse to said side edges.
- 13. The thermal pack of claim 12 wherein said stretchable elastic comprises a plurality of substantially 45 parallel nylon filaments, and interwoven therewith and substantially transverse thereto a plurality of (a) strands comprising polyester spandex and textured nylon, (b) strands comprising warp yard textured nylon and (c) strands comprising filling yarn monofil nlylon.
- 14. A thermal bladder for use in ice packs, compris-
- a water proof container for containing thermal material; and

- a moisture-wicking material covering said container and made integral thereto by a matrix of individual bonds over the surface thereof.
- 15. The bladder of claim 14 further including a seal extending substantially peripherally about said integral container and material for sealing said container and for making said material integral therewith.
- 16. The bladder of claim 14 wherein said moisturewicking material comprises polyester-rayon-polyester 10 layers heat seal bonded in said matrix.
 - 17. A thermal pack, comprising:
 - a plurality of bladders, each said bladder having a moisture-wicking material integral therewith;
 - plural open-topped compartments, each for holding one said bladder and each said bladder adapted for holding a therapeutic material adjacent the body part of a user;
 - a pressure responsive fastening material disposed on a side surface of one said compartment;
 - elastic means disposed between and integrally connecting said compartments together for allowing said pack to expand in a direction for conforming around different body shapes; and
 - plural individual elastic fastening straps attached to the other said compartment and engageable to the fastening material on said side surface of said one compartment for holding said pack wrapped around the body part of the user.
- 18. The thermal pack of claim 17 wherein moisturewicking material is heat bonded to said bladders.
 - 19. A thermal pack wrappable around a limb, comprising:

first and second open-topped pockets;

- stretchable elastic means disposed between said pockets and connecting one side edge of each said first and second pockets together;
- first and second bladders for holding thermal material and sized for insertion into respective ones of said pockets;
- pile material covering the outer surface of said first pocket:
- a plurality of stretchable straps connected to a side edge of said second pocket, each strap including pressure responsive attachment means attached to the terminal end thereof for removable engagement with said pile material of said first pocket; and
- a moisture-wicking material having a matrix of heat seal bonding points over the surface thereof and being integral with and lining the inside of each said pocket.
- 20. The thermal pack of claim 19 wherein said moisture-wicking material comprises polyester-rayonpolester layers bonded together.

55

50

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

4,688,572

DATED

August 25, 1987

INVENTOR(S):

Vance M. Hubbard, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 7, line 21, after "inside surface" insert -- and an outside surface, said inside and outside surface--

line 49, "nlylon" should be --nylon--.

Signed and Sealed this Nineteenth Day of January, 1988

Attest:

DONALD J. QUIGG

Attesting Officer

Commissioner of Patents and Trademarks